



**PEOPLES UNIVERSITY**  
**OF MEDICAL & HEALTH SCIENCES FOR WOMEN,**  
**NAWABSHAH (S.B.A)**

No: PUMHS/EXAM/TS/ 1215

Dated: 13<sup>th</sup> July, 2016

Result of Second Professional MBBS, 5<sup>th</sup> Semester Examination Year 2016 of Peoples University of Medical & Health Sciences for Women, Nawabshah (S.B.A), held in the month of May, 2016.

Candidates having following seat numbers are declared SUCCESSFUL:

1, 2, 3, 5, 7, 8, 9, 13, 15, 17, 18, 19, 20, 21,  
22, 23, 24, 25, 26, 27, 28, 30, 32, 33, 34, 35, 36, 37,  
38, 39, 41, 42, 43, 44, 45, 46, 47, 49, 50, 51, 52, 54,  
55, 56, 59, 60, 61, 62, 63, 65, 66, 67, 68, 69, 70, 71,  
73, 74, 75, 76, 77, 79, 80, 81, 82, 83, 84, 85, 86, 87,  
88, 90, 91, 92, 93, 94, 96, 97, 99, 100, 101, 102, 103, 104,  
106, 107, 108, 109, 110, 111, 112, 113, 114, 116, 117, 118, 119, 120,  
121, 122, 123, 124, 125, 126, 127, 128, 130, 131, 132, 133, 134, 135,  
136, 137, 138, 140, 141, 143, 144, 145, 146, 147, 148, 149, 150, 151,  
152, 154, 155, 156, 157, 158, 159, 160, 161, 163, 164, 165, 166, 167,  
168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 181, 182,  
183, 184, 185, 186, 187, 189, 190, 191, 192, 193, 194, 195, 196, 197,  
198.

Repeater candidate: 12PU29, 12PU134, 12PU177, 12PU201,  
12PU144.

The result of following candidates is WITH-HELD:


29, 40, 48, 57, 58, 64, 78, 95, 98, 162.

LIST OF FAILURES

| SEAT NO, | SUBJECT (S)                | SEAT NO, | SUBJECT (S)  |
|----------|----------------------------|----------|--------------|
| 06       | F. Medicine                | 139      | F. Medicine  |
| 16       | F. Medicine                | 142      | G. Pathology |
| 72       | G. Pathology & F. Medicine | 153      | F. Medicine  |
| 105      | G. Pathology & F. Medicine | 12PU18   | G. Pathology |
| 129      | F. Medicine                |          |              |

Note:

1. Errors omission can be rectified at any time on the basis of original record.
2. The university reserves the right of issuing any correction in the result, if any mistake is detected later.

  
PROF. DR. KHAN MUHAMMAD NANGREJO  
CONTROLLER OF EXAMINATIONS  
Peoples University of Medical